

KEPIC 해석서 : QA-I-150

(승인일자 : 2016. 3. 29)

제 목 : MN/MI 공인검사원 자격인정**관련** : KEPIC-QAI 3.2.1(1), 4.2.1(1)

3.2 원자력기계 공인검사원

3.2.1 자격인정

(1) KEPIC-MN, KEPIC-MG 또는 KEPIC-MB에 따른 기기의 건조와 관련한 적어도 1년간의 다양한 공장 검사 경력을 소지하였거나¹, 공인검사원의 직접 감독 하에 있는 원자력 품목의 공인검사원 훈련생으로서 1년간의 다양한 경력².

4.2 원자력 가동중 공인검사원

4.2.1 자격인정

(1) KEPIC-MN 적용 기기에 대한 적어도 1년간의 다양한 검사 경력을 소지하였거나³, 공인검사감독원의 직접 감독 하에 원자력 품목의 공인검사원 훈련생으로서 1년간의 다양한 경력⁴. 1년간의 검사 경험은 기기 건조활동 또는 가동중검사 활동을 통해 얻어질 수 있다.

질의

1. 3.2.1 및 4.2.1 (1)항의 2 및 4의 요건을 가상훈련으로 진행해도 인정이 됩니까?

2. 3.2.1 및 4.2.1 (1)항의 1 및 3의 경력을 소지한 경우, 2 및 4의 요건이 면제됩니까?

답변

1. 아니오

KEPIC Interpretation : QA-I-150

(Date of approval : March 29, 2016)

Subject : Qualifications of Authorized Nuclear Inspectors and Authorized Nuclear In-service Inspectors**Reference** : KEPIC-QAI 3.2.1(1), 4.2.1(1)

3.2 AUTHORIZED NUCLEAR INSPECTORS

3.2.1 Qualifications

(1) A minimum of 1 year of diversified shop inspection experience in the construction of KEPIC-MN, KEPIC-MB or KEPIC-MG¹, or 1 year of diversified experience as an Inspector trainee of nuclear items under the direct supervision of an Authorized Nuclear Inspector².

4.2 AUTHORIZED NUCLEAR IN-SERVICE INSPECTORS

4.2.1 Qualifications

(1) A minimum of 1 year of diversified Code inspection experience of KEPIC-MN³, or 1 year of diversified experience as an Inspector trainee of nuclear items under the direct supervision of an Authorized Nuclear In-service Inspector⁴. The minimum of 1 year of diversified Code inspection experience may include experience gained in either Code construction or Code in-service inspection activity.

Inquiry :

1. Is it acceptable to conduct virtual training to meet the requirements of 2 and 4 of 3.2.1 (1) and 4.2.1 (1)?

2. Are the requirements 2 and 4 of paragraph 3.2.1 (1) and 4.2.1 (1) waived to the candidates who have the experience of 1 and 3 of relevant paragraph?

Reply :

1. No.
2. Yes.